


# ELT10-902-( )

ELT 3-Frequency/UHF Blade Antenna, Dual Connector



## Specifications

### Electrical

Frequency	121.5 MHz 243 MHz 406 MHz 340-390 MHz
-----------	--

VSWR	2.0:1 at 121.5 & 243 MHz 1.5:1 at 406 MHz 2.5:1 (340-390 MHz)
------	---

Polarization	Vertical
Radiation Pattern	Omnidirectional
Impedance	50 Ohms

### Mechanical

Weight	1.2 lbs max (0.54 kgs)
Height	9.0 in (228.6 mm)
Material	Fiberglass
Finish	White
Connector	BNC (UHF band) TNC (ELT)

### Environmental

Speed Rating	600 Knots
--------------	-----------

### Federal Specifications

Approvals	TSO-C91a TSO-C126
-----------	----------------------

## ELT10-902-( ) ELT 3-Frequency/UHF Blade Antenna, Dual Connector

The ELT10-902-( ) is a combination three-frequency ELT / UHF, high-performance, dual-connector, blade antenna that incorporates the standard emergency frequencies of 121.5 and 243.0 MHz, as well as the 406 MHz emergency frequency corresponding to the COSPAS-SARSAT system. It also offers coverage in the 340 to 390 MHz UHF band.

## Applications

Antenna designed for aircraft, which offers coverage in the 121.5 and 406.0MHz ELT frequencies.